RETAIL



COMMERCIAL VINYL FLOORING







WHERE

SHOPPING MALLS
OUTLETS
FLAGSHIP STORES
CONCEPT STORES
OUTLET STORES
TEMPORARY STORES
LARGE SCALE RETAILING
SPECIALIZED DISTRIBUTION

BENEFITS

DURABLE CONTINUOUS SURFACES

NON-SLIP SURFACES

SOUND-ABSORBING

CERTIFIED SOLUTIONS

SAFE AND SANITIZABLE

ECO-SUSTAINABLE

DESIGN AND CUSTOMIZATION

DESIGN STAGE

Designing and selecting vinyl floorings for a commercial structure must satisfy several requirements.

A shopping mall is a structure that includes a supermarket or an hypermarket, surrounded by a range of stores and a food court. In addition to aesthetics and the possibility of customising the environment, the size of the surface to be covered, performance, resistance to foot traffic, frequent washing, sound absorption, waterproofing, slip resistance and hygiene play an important role.

Our structured approach is based on over 40 years of experience in the flooring sector – certified sustainable solutions and the know-how of listening to our customers to always provide the right answer to every need.



ACQUIRED **KNOW-HOW** IS EXPRESSED IN THE **EFFECTIVENESS** OF THE PROPOSED **SOLUTIONS**



FEATURES AND DETAILS

Durability: durable floors, resistant to traffic and heavy loads. Resistant to residual footprint. The best compromise between resistance, ease of movement and acoustic comfort. EASY MAINTENANCE

SAFE AND LASTING CHOICES

Scratch and impact resistant. Very easy maintenance thanks to stain-resistant treatments: floors can be cleaned with neutral, environmentally friendly products.

SAFETY

Floors designed to prevent accidents, non-slip, tactile paths for the visually impaired.

GUARANTEES

We are structured to be with the customer every step of the way, from design to delivery, to provide targeted solutions to meet project requirements.

LIFESPAN

The life expectancy of a surface finish is determined by a combination of mechanical, chemical, thermal shock, and wear stress. These stresses are typical and different for each environment. Durable flooring refers to flooring that lasts for a long time without deterioration or loss of performance.

ACOUSTIC COMFORT

Integrated solutions to help reduce walking noise. DESIGN

A wide range of finishes and color options for floor and wall coverings, specific solutions for every environment, with customization options.

SHORT INSTALLATION TIME

Very fast installation time, application on existing floors with considerable time and cost savings.

EXPERIENCE

For over 40 years we have been dealing with the flooring of reference companies in every sector.

SUSTAINABILITY

Our solutions apply the highest health and wellness standards, made from recycled and recyclable materials.

LEED

Prima Pavimenti solutions includes a LEED® information statement detailing how it can contribute to the building's LEED credits.















QUALITY IS VISIBLE AND 100% CERTIFIED



SOLUTIONS RETAIL AREAS

INDOOR GALLERY
STORES
FOOD COURT
CONGRESS CENTER
EXHIBITION AREAS
PUBLIC RESTROOMS
STAIRS
PARKING
OUTDOOR GALLERY
OUTDOOR PLAY AREAS

COMBINE DESIGN & FUNCTIONALITY

MALL REFURBISHMENT

To maintain the quality and efficiency of a shopping centre's flooring at all times, resin coatings are ideal for restyling and renovation projects, thanks to their reduced intervention time and customisable solutions that combine functionality and design for better management and sustainability, benchmarks for the entire property sector.

Approaching a flooring renovation project in a commercial building, or in more or less complex shops, requires a structured partner whose experience and know-how guarantee the result, respect for the project's time and cost, and who also knows how to work with the design studio, the property, the company and all the operators involved.

Efficient flooring makes the environment more comfortable and safer. It contributes to the success of the design



LVT HETER LUXURY VINYL TILE VINYL

Produced in both tile and plank formats across a range of patterns, colors, and styles, they offer endless layout possibilities thanks to their modular format.

Luxury Vinyl Tiles come in several installation options: glue-down for heavy traffic, bose-lay for quick renovation, and click system for floating installation. Surface treatment guarantees protection for easy maintenance and extra resistance to scuffs, scratches, and stains.

HETEROGENEOUS VINYL

Heterogeneous vinyl flooring is composed of several layersi, including a printed sheet for limitless design possibilities. Available in tiles and rolls, they offer ideal solutions for heavy traffic environments such as hospitals.

The top layer of the heterogeneous floor coverings is covered with a special surface treatment that maintains their appearance over time and ensures maximum durability and ease of maintenance. Also available in anti-slip and acoustic versions.

WOOVEN VINYL

Dickson® woven floors are made from innovative fibers and technologies, ombine vinyl resistance with the aesthetic benefits of natural fibers. They are durable, comfortable, stylish, and easy to lay.

Unique properties, comfort, resistance and design. Wooven vinyl flooring more resistant to stain and easier to clean.





Modular heterogeneous vinyl flooring



LVT high traffic, Carrara Marble and Breccia

INDOOR GALLERY



Scratch and impact resistant



Acoustic comfort



Non-slip



Easy to clean

Luxury Vinyl Tiles and modular Heterogeneous provided in a wide range of materials, colours and patterns to create a customized and unique floor. The boundaries of design are pushed by allowing architects and designers to express their creativity and create unique customer experiences through the floors.

Solutions designed to facilitate renovations with floors that can be installed quickly, limiting the closing time of the commercial structure.

FEATURES

Wide range of colors and patterns
Resistant to heavy traffic
Scratch and impact resistant
Resistant to residual footprint
Ease of installation and replacement
Ease of cleaning and maintenance
Variable thickness depending on collections
Fire reaction class Bfl-s1
Commercial classification: 34 Very Heavy

ACCESSORIES


Tactile paths for the visually impaire

W

MODULAR HETEROGENEOUS







FLAGSHIP STORE



Scratch and impact resistant



Acoustic comfort



Non-clir



Easy to clean In a tailor-made project, i.e. a flagship store designed and built to communicate the brand identity of a brand through the adoption of a precise style and a unique design, we work closely with the retail project manager and the technical management to create the flooring that meets all project requirements: from technical performance to design.

FEATURES

Visual and acoustic comfort
Resistant to heavy traffic
Scratch and impact resistant
Resistant to residual footprint
Ease of installation and replacement
Customized design
Ease of cleaning and maintenance
Variable thickness depending on collections
Fire reaction class Bfl-s1
Commercial classification: 34 Very Heavy

ACCESSORIES

Product display supports







CONCEPT STORE



Scratch and impact resistant



Acoustic comfort



Non-slip



Easy to clean The concept store is a multifunctional commercial space that offers products and services of various kinds in a coherent and evocative setting.

Solutions also suitable for fitting rooms that represent the decisive place where the purchase choice takes place. Offering a pleasant, tidy and comfortable environment improves the shopping experience and allows customers to make purchasing decisions with total peace of mind, encouraging them to return.

FEATURES

Visual and acoustic comfort
Resistant to heavy traffic
Scratch and impact resistant
Ease of installation and replacement
Custumized design
Ease of cleaning and maintenance
Variable thickness depending on collections
Fire reaction class Bfl-s1
Commercial classification: 34 Very Heavy

ACCESSORIES

Product display supports



Project: Ikea Villesse (GO) - Italy



SPECIALIZED DISTRIBUTION



Scratch and impact resistant



Non-slip



Eco-Friend



Easy to clean

The large surfaces of a Specialized Large Retailers store need resistant and functional solutions, with a good aesthetic appearance, usually homogeneous and quite neutral.

FEATURES

Visual and acoustic comfort
Resistant to heavy traffic
Scratch and impact resistant
Customized design
Ease of installation and replacement
Ease of cleaning and maintenance
Variable thickness depending on collections
Fire reaction class Bfl-s1
Commercial classification: 34 Very Heavy

ACCESSORIES

Product display supports





LVT Terrazzo Classic version

SHOPFRONT & EXHIBITION CORNER



Scratch and impact resistant



Non-slip



Eco-Friend



Easy to clean

The shopfront is the first point of contact with customers, it must therefore capture their attention and arouse curiosity about the products on display by convincing them to enter the store.

A wide variety of colors, textures and shapes to create unique and original spaces. Easy to install and remove without damaging the subfloor, modular floors are the ideal solution for the floor or vertical panels of the showcases that need to be modified frequently.

FEATURES

Design modular options
Suitable for vertical surfaces
Ease of installation and replacement without
damages to subfloor.
Ease of cleaning and maintenance







FOOD COURT





Non-slip



HACCP



Canteens, restaurants, cafes and bars are subject to HACCP regulations, necessary in all those places where food is handled and administered.

As these are high traffic areas, the floors must also guarantee maximum resistance to wear and scratches caused by the movement of chairs and tables.

FEATURES

HACCP
Non-slip
Resistant to heavy traffic and footprint
Scratch, impact and stain resistance
Ease of cleaning and maintenance
Cutomized design
Ease of installation and replacement
Variable thickness depending on collections
Fire reaction class Bfl-s1
Commercial classification: 34 Very Heavy

ACCESSORIES

Wall coverings Connecting fillets between floor and wall Tactile paths for the visually impaired



Public restrooms



Warehouse

OTHER AREAS



Scratch and impact resistant



Non-slip



Eco-Friendl



The surfaces of bathrooms and toilets must always guarantee maximum hygiene through the use of floors that are easy to maintain, with a limited number of joints. To avoid slipping, floors must provide clear visual and tactile indications through contrasting colors and textures to identify areas where it is recommended to move with greater caution.

FEATURES

Medium thickness 2-2.5 mm
Resistant to scratches and footprint
High rolling resistance
Low cost ease of cleaning and maintenance

When designing a warehouse, it is important to choose a floor which offers high wear resistance. Solutions resistant to scratches and rolling resistant that do not require special cleaning procedures such as waxing and polishing, with significant savings in maintenance time and cost.

FEATURES

Variable thickness depending on the load.
Non-slip
Hygienic and easy to clean
Waterproof surfaces due to a limited number or the absence of joints

HOMOGENEOUS

HOMOGENEOUS HETEROGENEOUS







COMPLEMENTS



impact resistant



Non-slip



High rolling resistance



High resistance to stains and detergents



Easy to clear



Wall coverings with high resistance. A surface for floors, walls, display supports and furnishing accessories. A complete solution suitable for any type of environment.

FEATURES

Total thickness: 2 mm

Color palette that can be matched to the floor
Matching weld beads
Suitable for commercial applications
Guaranteed performance throughout the product life cycle
Fire reaction class B-s2,d0

Solutions that combine safety, functionality, aesthetics and value-for-money.

FEATURES

Non-slip
Soundproof
Integrated contrast profiles
Photoluminescent profiles available
Colors matching with those of the floor
Quick installation
Variable thickness depending on collections
Fire reaction class Bfl-s1
Commercial classification: 34 Very Heavy

ACCESSORIES

PVC interior and exterior corners for stairs Step guards Tactile paths for the visually impaired

WALL COVERINGS


PRODUCT DISPLAY SUPPORTS

STAIRS





Project: COOP Figline Valdarno (FI) - Italy



Project: Serravalle Outlet - Italy

PARKING AREAS





Non slin



A parking space is not a must, but it is a worthy strong point for a building. Resin coatings are the most widely used and recommended for this type of surface as the resin itself has resistance, durability, and functionality. Multilayer epoxy or multilayer polyurethane systems can be used. OS8-OS9-OS10-OS11 criteria are satisfied. Colors, flooring, individual parking spaces, and signage can all be highly customized.

FEATURES

Homogenous, non-slip surface
Resistant to chemicals, oils, fuels, de-icing salts, lubricants, acids and diluted bases
Wear-resistant and durable
Resistant to wheeled vehicle traffic
Highly customisable
Underground car park
These solutions contribute to the building's Leed score

ACCESSORIES


Underground car park Horizontal and vertical signage— Tactile pathways for the visually impaired

MULTI-LAYER EPOXY SYSTEM

POLIURETHANIC MULTI-LAYER

DRY POLISHING SYSTEM





Project: TO Dream Urban District (TO) - Italy



Project: San Marino Outlet

OUTDOOR GALLERY



Draining



Frost Pesistan



Non-sli



For the long lasting eco-friendly redevelopment of out-door pedestrian or vehicular light areas,

Prima Drain Stone® is an outdoor flooring system totally permeable and environmentally friendly, complies to the hydrological cycle. It is essential to select certified materials that help to improve outdoor areas by ensuring drainage or rainwater filtering and avoiding the creation of new impermeable surfaces (such as asphalt and cement) and/or unstable ones (such as self-locking paving stones and loose gravel).

Composed of natural aggregates mainly from production waste, with different grain sizes, kinds and colors, blended with a special eco-friendly binder.

FEATURES

Permeable
Sustainable
Wide range of natural aggregates
Customizable for inclusion
UV resistant
Head Island Effect
Frost Resistant
Short Instllation time
Easy cleaning and maintenance
Respects the most important Minimum Ecological
Criteria
These solutions contribute to the building's Leed score

ACCESSORIES

Tactile paths for the visually impaire

PRIMA DRAIN STONE®

> OUTDOOR MALL
> PEDESTRIAN PATHS GREEN AREAS
> OUTDOOR RECEPTION AREAS
> LANDSCAPE DESIGN
> CYCLE PATHS





OUTDOOR



Resistant to heavy loads



Non-slip



Thermal Resistance



UV resistent



Eco-Friend



Easy to clean

Prima Play® is an environmentally friendly system with acrylic resin in water dispersion and fillers, developed as a solution for bicycle paths, sidewalks, outdoor multipurpose sports facilities and urban areas.

It is ideal for the restoration and beautification of damaged surfaces, for the protection and coloring of bituminous or cementitious surfaces in environments with heavy pedestrian traffic, for pedestrian and bicycle paths, surfaces in stadiums or sports facilities in general or for urban areas.

Also applicable on worn or new asphalt substrates, provided they are sound and cohesive.

A wide range of colors (NCS) for a valuable esthetic effect and high technical performances, such as good slip resistance, high elasticity and the correct coefficient of restitution (rebound) of the game balls.

Prima Play® respects the environment as it is made from VOC certified free products.

FEATURES

Homogeneous and non-slip surface Also applicable on wet ground Eco-friendly High color stability and UV resistant High resistance to atmospheric agents High resistance to thermal shock Minimal and easy maintenance PRIMA PLAY®

> CHILDREN'S PLAY AREAS > OUTDOOR MULTIPURPOSE SPORTS FACILITIES





CASE HISTORY

Our industrial know-how and expertise in this field, our partnerships as well as recognized qualities over the years, have allowed us to become a major player in this sector.

The best calling card is the flooring we have realised. In Italy, in Europe and, in the rest of the world.



























GIORGIO ARMANI ITINERA PRIMARK*
























SOME OF **OUR CUSTOMERS**











Ikea Villesse (GO)



Casalecchio (BO) Italy



IKEA Catania (CT) Italy



CONTACTS

Milano - Operational HQ

Via Piemonte, 23/B 20098 San Giuliano Milanese (MI) T+39 02.98282914

Torino - Head Office

Via Vittorio Amedeo II, 19 10121 Torino T+39 011.0714790

info@primapavimenti.it www.primapavimenti.it







OS 6 Class IV OS 26 Class IV OG 1 Class III OG 3 Class II

PARTNERS



















Pavimenti Speciali Srl - Talenture S.A. Riva Albertolli 1 6900 Lugano - Switzerland





